



ECONOMY AW OIL (Antiwear Hydraulic Oil)

ECONOMY AW OILS are economical products formulated for hydraulic systems and other equipment operating at moderate temperatures and pressures (below 1,000 psi).

ECONOMY AW OILS are based on virgin mineral oils and fortified with a specially selected and balanced additive package including zinc dithiophosphate antiwear additives, corrosion, rust and oxidation inhibitors, demulsifiers and foam inhibitors.

ECONOMY AW OILS are recommended for hydraulic systems operated under low to moderate temperature and pressure conditions. In addition, they are suitable for lubricating light to moderately loaded bearings and gears that require a general purpose lubricating oil.

ECONOMY AW OILS are designed for hydraulic systems with high make-up rates and where low cost is most important.

BENEFITS:

- FORTIFIED WITH EFFECTIVE ANTIWEAR HYDRAULIC OIL ADDITIVE PACKAGE
- GOOD ANTIWEAR PROPERTIES
- RUST, CORROSION AND OXIDATION INHIBITED

ECONOMY AW OILS can be used in hydraulic systems containing gear, screw, vane, radial or axial piston pumps operated at low to moderate temperatures and pressures. They are not recommended for hydraulic systems operated above 1,000 psi.

TYPICAL CHARACTERISTICS

ISO Viscosity Grade (Viscosity at 40 C)	22	32	46	68
Product Code	15349	15350	15351	15352
Pour Point (ASTM D-97) °F (°C)	-41 (-42)	-33 (-36)	-22 (-30)	-11 (-24)
Flash Point (ASTM D-92) °F (°C)	386 (197)	390 (199)	400 (204)	408 (209)
Color (ASTM D-1500)	L1.0	1.0	L1.5	1.5

The above data is subject to usual manufacturing variation. For more information and availability, call 1-800-442-LUBE.
10/10/2008